


IGENE LABSERVE

Innovative • Interactive • Intuitive

Hotplate Magnetic Stirrer



Address: 2/280 |1stFloor|Back Side|
Subhash Nagar|New Delhi-110027|
Office:- 011-45002642|
Email: info@igenels.com|
igenelabsolve@gmail.com



Standard Features:

✓ **MICROPROCESSOR CONTROL**

The LMMS-300 hot plate magnetic stirrer is operated by a digital control CPU. The CPU regulates the heating up to 300 °C.

✓ **DIGITAL SPEED CONTROL**

Stirring speed is also controlled by the CPU from the keypad while the stirring speed is indicated on the bar graph.

✓ **PROGRAMMABLE**

Operator can setup the objective temperature, hold temperature, stirring time and speed.


✓ **AUTOMATIC TEMPERATURE CONTROL**

Connect the temperature probe and place into glass container being stirred to measure and maintain the object temperature. Accuracy is ± 1 °C.

✓ **STANDARD ACCESSORIES**

Stir Bar, Temperature Probe, Instruction Manual





Specifications:

MODEL	IGN-MS300
Display	LCD
Max. Volume (ml)	2000 ml
Speed (RPM)	1250 rpm
Top Plate Size	135 x 135 mm
Plate Material	Steel
Max.Temp. (Plate Surface)	300°C
Temp. Accuracy	±1°C(<100°C)±3°C(<300°C)
Timer	999 minutes
Power supply	AC 220V / 50 Hz
Dimensions LxWxH (mm)	230 x 180 x 120
Weight	2.3 kg

